



8K USB TYPE-C TO HDMI ADAPTER



DA-CH8K USER MANUAL

FEATURES

- Compliant with DisplayPort Alternate Mode 1.4 (host requires support)
- Compliant with HDCP 1.4/2.2-2.3, HDMI 2.1/2.0b/1.4b, and HDR10/HDR10+/Dolby Vision/HLG
- Supports a video output resolution of up to 7680x4320@60Hz (8K@60Hz)
- Supports Variable Refresh Rate (VRR)/FreeSync
- Aluminum design for ruggedness and superior heat dissipation
- Integrated Type-C cable for portability with plug and play functionality


SYSTEM REQUIREMENTS

- Windows
- macOS
- Linux

PACKAGE CONTENTS

- 8K USB Type-C to HDMI Adapter




PRODUCT OVERVIEW



- A. Integrated USB Type-C cable
- B. HDMI port
- C. Aluminum alloy body

Note: Avoid undue stress on the cable and connector. Do not get the adapter wet; store it in a dry place.

GETTING STARTED



FREQUENTLY ASKED QUESTIONS

Q. What devices will work with this USB Type-C adapter?

A. Any devices that are compliant with DisplayPort Alternate Mode (DP Alt Mode). This includes Windows, macOS, and Linux hosts, including tablets, smartphones, and portable computing systems.

Q. What resolutions, refresh rates, and features are supported?

A. This adapter is designed for up to 8K at 60Hz, but is backward compatible. Output resolution and refresh rate depend on host and display support. The adapter supports HDCP 1.4/2.2-2.3 and VRR/FreeSync.

Q. What are the operating parameters of the adapter?

A. The adapter is designed to be used in temperatures between 0°C and 40°C and can be safely stored between -10°C and 55°C. Avoid excessive humidity and condensation.

Q. Is the adapter body plastic?

A. We use an aluminum alloy as this allows for superior heat dissipation and ruggedness while remaining lightweight for portability.



FOR HELP, COMMENTS, QUESTIONS OR CONCERNS
PLEASE CONTACT OUR TECH SUPPORT TEAM VIA OUR WEBSITE
WWW.SABRENT.COM